



Agile, eXtensible, fast I/O Module for the cyber-physical era

Road2CPS

Vienna, 14th April 2016

Brief introduction to the AXIOM project


Roberto Giorgi

University of Siena, Italy



TECHNOLOGY INNOVATIONS

- Shared
- Distributed
- Modular & scalar
- Multiplatform
- High performance
- Low-cost/Low-power consumption
- Easy programmable & sustainable
- Usability & adaptability constrains
- Open Source



SMART HOME

SMART SURVEILLANCE

SMART GRID

SMART LIGHTING

SMART PARKING

SMART CARS

SMART TAGS

SMART ENERGY

SMART HEALTH

EMBEDDED PROCESSING

MCU
MPU
Hybrid MCU/MPU
Network Processor

SENSING

Accelerometer
Magnetometer
Gyroscope
Pressure
Altimeter
Temperature etc.

CONNECTIVITY

NFC GPS
6LoP AN BT/BTLE
Sub-Gig Wi-Fi
ZigBee RFID
Cellular

APPLICATIONS

KEY SCENARIOS

SOFTWARE

[Algorithms & Programme Languages]

EASY PROGRAMMABILITY

AXIOM CYBER PHYSICAL SYSTEM

ACCELERATING FUNCTIONS

EMBEDDED MODULAR SYSTEM

AXIOM OBJECTIVES

- **OBJ1) Realizing a small board that is flexible, energy efficient and modularly scalable**
 - Flexibility: FPGA provides acceleration, custom interconnects, ability to distribute threads across boards
 - Energy efficiency: low-power ARM, FPGA
 - Modularly scalable: fast+inexpensive interconnects based on SATA/USB-C, distributed shared memory across boards
- **OBJ2) Easy programmability of multi-core, multi-board, FPGA**
 - Programming model: Improved OmpSs
 - Runtime & OS: improved thread management
- **OBJ3) Leveraging Open-Source software to manage the board**
 - Compiler: BSC Mercurium
 - OS: Linux
 - Drivers: provided as open-source by partners
- **OBJ4) Easy Interfacing with the Cyber-Physical World**
 - Cyber-Physical World: integrating Arduino support for a plenty of pluggable board (so-called “shields”)
 - Platform: building on the UDOO experience from SECO
- **OBJ5) Enabling real time movement of threads**
 - Runtime: will leverage the EVIDENCE’s SCHED_DEADLINE scheduler (i.e. EDF) included Linux 3.14, UNISI’s low-level dataflow-based thread management techniques
- **OBJ6) Contribution to Standards**
 - Hardware: SECO is founding member of the Standardization Group for Embedded Systems (SGET)
 - Software: BSC is member of the OpenMP consortium

EASY PROGRAMMABILITY VIA OPENMP-SS (OMPSS)

```
1 #pragma omp target device(fpga, smp) copy_deps  
2 #pragma omp task in(a[0:64*64-1], b[0:64*64-1]) \\  
3     out(c[0:64*64-1])  
4 void matrix_multiply(float a[64][64],  
5     float b[64][64],  
6     float out[64][64]) {  
7     for (int ia = 0; ia < 64; ++ia)  
8         for (int ib = 0; ib < 64; ++ib) {  
9             float sum = 0;  
10            for (int id = 0; id < 64; ++id)  
11                sum += a[ia][id] * b[id][ib];  
12            out[ia][ib] = sum;  
13        }  
14 }  
15 ...  
16 int main( void ){  
17 ...  
18 matrix_multiply(A,B,C1);  
19 matrix_multiply(A,B,C2);  
20 matrix_multiply(C1,B,D);  
21 ...  
22 #pragma omp taskwait  
23 }
```

Only 3 lines of code to
- accelerate code on FPGAs
- distributed code across
several AXIOM boards

<i>Application</i>	<i>Seq - DMA version</i>	<i>pthread version</i>	<i>OmpSs version</i>
Cholesky	71	26	3
Covariance	94	29	3
64x64	95	39	3
32x32	95	39	3

CAN WE DO THAT ?




- SECO/UNISI achievements:
 - 2014: UDOO-ARM (99 \$ PC+Arduino) → 600k\$ on Kickstarter
 - 13th April 2016: UDOO-x86 (PC+Arduino, 10x faster than Raspberry-3) → 100k\$ in 7 hours (!) on Kickstarter



UDOO X86 FOR CLUSTER

FIRST PROTOTYPE UNDER REVIEW

- Stackup definition
 - 10 layers PCB
 - HS/LS/power planes arrangement
- Placement
 - Achieve mechanical and electrical constraints
- Routing (WIP)
 - Design for power/signal integrity
- 3D model available



AXIOM – THE MODULE-v2

- KEY ELEMENTS
 - K1: ZYNQ FPGA (INCLUDES 6 ARM CORES)
 - K2: ARM GP CORE(S)
 - K3: HIGH-SPEED & INEXPENSIVE INTERCONNECTS
 - K4: SW STACK – OMPSS+LINUX BASED
 - K5: OTHER I/F (ARDUINO, USB, ETH, WIFI, ...)

CONSORTIUM EXPERTISE

- VIMAR, HERTA – 2 KILLER APPLICATIONS
- SECO – hardware module realization
- FORTH – high-speed interconnects
- EVI – Runtime, OS (Linux 3.14 real time scheduler)
- BSC – programming models
- UNISI – simulation, evaluation, coordination, architecture

WORKPACKAGES


- **WP1: Management** – UNISI (leader-Macy-project manager),
ALL partners (mandatory)
- **WP2: Dissemination and Exploitation** – UNISI (leader-Caporali),
ALL partners
- **WP3: Scenario Definition and App. Porting** – UNISI (leader-Rizzo),
VIMAR, HERTA
- **WP4: Programming Model** – BSC (leader-Martorell),
EVI, FORTH, SECO, HERTA
- **WP5: Runtime and OS** – EVI (leader-Gai),
BSC, FORTH, SECO, UNISI
- **WP6: Platform** – SECO (leader-Catani),
BSC, EVI, FORTH, UNISI, VIMAR
- **WP7: Simulation and Evaluation** – UNISI (leader-Giorgi),
ALL partners

CONCLUSION - AXIOM IMPACT

- Realize a prototype module “ready-for-market”
 - VIMAR, HERTA first customers
 - for the public afterwards
- Strengthen European industry and research
 - in the supply, operate and use of Embedded Systems, achieving world-leadership
 - development of autonomous technology
- Development of extreme-performance system software and tools
 - European research at the forefront

TOWARDS HPC + EMBEDDED CONVERGENCE

The HiPEAC vision for Advanced Computing in Horizon 2020





AXIOM

Agile, eXtensible, fast I/O Module for the cyber-physical era

PROJECT ID: 645496



University of Siena
(Coordinator Partner)

